

EZVIZ 200W Portable Solar Panel

PSP200

For your next road trip, simply enjoy the green energy generated by the PSP200 Portable Solar Panel with its upgraded charging efficiency. It's foldable, compact, and easy-to-carry. You can place it basically anywhere outdoors with its built-in, adjustable stand to capture sunlight.

Designed to charge EZVIZ Power Stations

Compatible models¹: PS300, PS600.

Know more



Key Features

- **Powerful Charging:** The PSP200 uses monocrystalline silicon solar cells and multi-layered cell technology to charge your power station at a high efficiency conversion rate of up to 23%².
- Lightweight & Easy to Carry: To store the panel or take it outdoors, simply fold it up and use the built-in handle to carry it comfortably on the go.
- Waterproof & Durable: Built with ETFE-laminated solar cells, it's highly reliable against outdoor conditions with long-standing performance. The solar panel is IP67-rated against rain and snow.
- Adjustable Stand: Simply use the built-in kickstand to prop up your solar panel at the best angle from 25 to 60 degrees to optimize the available sunlight.

Clean, green energy for the outdoors

Designed to satisfy both the adventurous outdoor spirit and the leisurely weekend lifestyle, the PSP200 solar panel captures the power of nature so you can leave your worries behind. It uses direct sunlight to charge your EZVIZ power station in an easy, reliable way.

Estimated Average Charging Time³

PS300 Power Station	1 × PSP200 Solar Panel	8-16 hours
PS600 Power Station	1 × PSP200 Solar Panel	4-8 hours



Higher performance with up to 23% conversion rate



Foldable and portable with built-in support stand



- 1 Product compatibility will expand as we launch more power stations in the near future. The appearance of the solar panel is subject to the actual model you may purchase.
- 2 Actual charging efficiency may be slightly higher or lower depending on sunlight intensity and other environmental factors.
- 3 Estimated average charging time is calculated with consideration of varying conditions and environmental elements across regions/countries. Under standard conditions, the PSP200 Solar Panel charges the PS300 Power Station at a 45-50W output, and the PS600 Power Station at a 180-200W output.

Specifications cs-psp200-R100-Ds200w

Power

Open Circuit Voltage	23.8V (-5% .+10%)

Short Circuit Current 10.66A (-5%,+10%)

Max. Voltage 19.8V (-5% ,+10%)

Max. Current 10.1A (-5%,+10%)

Max. Power 200W (-5%,+10%)

Solar Cell

Efficiency	23%

Type Monocrystalline solar cells

General

Operation Temperature	-20°C ~60°C(-4°F~140°F)
Operation remberature	-20 C ~00 C(-4 F~140 F)

Humidity 90% or less (non-condensing)

IP Grade IP67

Connector MC4

Cable 14 AWG, 1000 ± 10 mm

Product Dimensions (Folded) $647 \times 540 \times 60 \text{ mm} (25.4 \times 21.2 \times 2.36 \text{ inch})$

Product Dimensions (Unfolded) 2379 × 540 × 33 mm (93.6 × 21.2 × 1.29 inch)

Packaging Dimensions $625 \times 120 \times 720 \text{ mm} (24.6 \times 4.7 \times 28.3 \text{ inch})$

Weight (With Package) 10.1 kg (356.2 oz)

Net Weight (Without Bracket) 8.22 kg (289.9 oz)

In the box

- PSP200 Portable Solar Panel
- Quick Start Guide

Certifications

CE / UKCA / RoHS / WEEE / REACH